




Frost Depth 2025-2026




2024-2025



2023-2024




Winter 2022-2023



- | | | | |
|------------------------|---------------------------|--------------------------|------------------------|
| Strickland Road - TR3 | Strickland Blvd - TR4 | Firehall #2 - TR5 | Azure RD - TR7 |
| 39 Eldorado Rd - TR20 | Copper Ridge - TR10 | Elm St and 12 Ave - TR11 | Larch & Redwood - TR12 |
| 6 th & Drury - TR13 | McIntyre Pumphouse - TR14 | Titanium Way - TR15 | Tamarack - TR17 |
| Granger Booster - TR18 | Hyland - TR19 | Atlin Place - TR16 | |


Frost Depth Winter 2020-2021




Frost Depth Winter 2019-2020

The graph displays the seasonal cycle of frost depth across various locations. The data points are connected by lines, with markers indicating specific measurements. The locations are color-coded: Selkirk St (dark blue), Azure Rd (brown), McIntyre Pumphouse (orange), Atlin Place (light blue), Strickland Road (dark red), 89 Sunset Dr. N (red), Tamarack (pink), 39 Eldorado Rd (light orange), Strickland Blvd (green), Copper Ridge Lift (light green), Granger Booster (olive), Firehall #2 (purple), Larch & Redwood (dark purple), Elm & 12 Ave (teal), 6 th & Drury (dark teal), and Hyland (lavender).

Date	Selkirk St	Azure Rd	McIntyre Pumphouse	Atlin Place	Strickland Road	89 Sunset Dr. N	Tamarack	39 Eldorado Rd	Strickland Blvd	Copper Ridge Lift	Granger Booster	Firehall #2	Larch & Redwood	Elm & 12 Ave	6 th & Drury	Hyland
13-Nov-19	-1.0	-0.7	-0.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.1	-0.1	-0.1	-1.3	-1.3	-0.3	-0.3	-0.1
20-Nov-19	-1.4	-1.0	-0.8	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-1.4	-1.4	-0.3	-0.3	-0.1
27-Nov-19	-1.5	-1.1	-0.8	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-1.5	-1.5	-0.3	-0.3	-0.1
4-Dec-19	-1.6	-1.2	-0.9	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-1.6	-1.6	-0.3	-0.3	-0.1
11-Dec-19	-1.7	-1.3	-1.0	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-1.7	-1.7	-0.3	-0.3	-0.1
18-Dec-19	-1.8	-1.4	-1.1	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-1.8	-1.8	-0.3	-0.3	-0.1
25-Dec-19	-2.0	-1.5	-1.2	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-2.0	-2.0	-0.3	-0.3	-0.1
1-Jan-20	-2.1	-1.6	-1.3	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-2.1	-2.1	-0.3	-0.3	-0.1
8-Jan-20	-2.3	-1.7	-1.4	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-2.3	-2.3	-0.3	-0.3	-0.1
15-Jan-20	-2.8	-2.3	-1.9	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-2.8	-2.8	-0.3	-0.3	-0.1
22-Jan-20	-3.0	-2.7	-2.3	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.0	-3.0	-0.3	-0.3	-0.1
29-Jan-20	-3.2	-2.9	-2.5	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.2	-3.2	-0.3	-0.3	-0.1
5-Feb-20	-3.4	-3.3	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.4	-3.4	-0.3	-0.3	-0.1
12-Feb-20	-3.5	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.5	-3.5	-0.3	-0.3	-0.1
19-Feb-20	-3.7	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.7	-3.7	-0.3	-0.3	-0.1
26-Feb-20	-3.8	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.8	-3.8	-0.3	-0.3	-0.1
4-Mar-20	-3.8	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.8	-3.8	-0.3	-0.3	-0.1
11-Mar-20	-3.8	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.8	-3.8	-0.3	-0.3	-0.1
18-Mar-20	-3.8	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.8	-3.8	-0.3	-0.3	-0.1
25-Mar-20	-3.8	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.8	-3.8	-0.3	-0.3	-0.1
1-Apr-20	-4.0	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-4.0	-4.0	-0.3	-0.3	-0.1
8-Apr-20	-4.0	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-4.0	-4.0	-0.3	-0.3	-0.1
15-Apr-20	-4.0	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-4.0	-4.0	-0.3	-0.3	-0.1
22-Apr-20	-4.0	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-4.0	-4.0	-0.3	-0.3	-0.1
29-Apr-20	-3.4	-3.4	-2.7	-0.3	-0.1	-0.1	-0.3	-0.3	-0.3	-0.3	-0.3	-3.4	-3.4	-0.3	-0.3	-0.1
6-May-20	-3.4</															




Frost Depth Winter 2018-2019




Frost Depth 2017-2018

The graph displays the frost depth (in feet) for 14 locations in 2017-2018. The y-axis ranges from 0.00 to -6.00 feet. The x-axis shows dates from November 15, 2017, to June 27, 2018. The locations are: Selkirk St, Elm & 12 Ave, Larch & Redwood, Tamarack, Strickland Road, Azure Rd, 6 th & Drury, Granger Booster, Strickland Blvd, 89 Sunset Dr. N, McIntyre Pumphouse, Hyland, Firehall #2, Copper Ridge Lift, and Atlin Place. Most locations show a peak in frost depth between late November and early February, followed by a gradual thaw. Strickland Road reaches the deepest frost depth of approximately -4.7 feet in late March. Atlin Place shows the least frost, reaching only about -1.2 feet in late January.


Date	Selkirk St	Elm & 12 Ave	Larch & Redwood	Tamarack	Strickland Road	Azure Rd	6 th & Drury	Granger Booster	Strickland Blvd	89 Sunset Dr. N	McIntyre Pumphouse	Hyland	Firehall #2	Copper Ridge Lift	Atlin Place
15-Nov-17	-0.5	-0.5	-1.5	-0.5	-1.0	-0.8	-0.5	-0.3	-0.3	-1.0	-0.5	-0.2	-0.2	-0.3	0.0
22-Nov-17	-1.7	-1.2	-1.7	-0.8	-1.0	-0.8	-0.5	-0.3	-0.3	-1.0	-0.5	-0.2	-0.2	-0.3	0.0
29-Nov-17	-2.1	-1.5	-2.1	-1.2	-1.2	-1.8	-1.5	-0.7	-0.7	-1.2	-0.8	-0.8	-0.8	-0.7	0.0
6-Dec-17	-2.2	-1.4	-2.2	-1.5	-1.5	-1.8	-1.5	-0.5	-0.5	-1.2	-1.0	-1.0	-1.0	-0.5	-0.8
13-Dec-17	-2.2	-1.8	-2.2	-1.5	-1.5	-1.8	-1.5	-0.5	-0.5	-1.2	-1.0	-1.0	-1.0	-0.5	-0.8
20-Dec-17	-2.2	-2.0	-2.2	-1.5	-1.5	-1.8	-1.5	-2.0	-2.0	-1.2	-1.0	-1.0	-1.0	-0.5	-0.8
27-Dec-17	-2.2	-2.0	-2.2	-1.5	-1.5	-1.8	-1.5	-2.0	-2.0	-1.2	-1.0	-1.0	-1.0	-0.5	-0.8
3-Jan-18	-2.8	-2.2	-2.8	-2.0	-2.2	-2.8	-2.2	-2.0	-2.0	-1.8	-1.8	-1.8	-1.8	-1.8	-0.8
10-Jan-18	-3.0	-2.2	-3.0	-2.2	-2.2	-2.8	-2.2	-2.0	-2.0	-1.8	-1.8	-1.8	-1.8	-1.8	-0.8
17-Jan-18	-3.0	-2.2	-3.0	-2.2	-2.2	-2.8	-2.2	-2.0	-2.0	-1.8	-1.8	-1.8	-1.8	-1.8	-0.8
24-Jan-18	-3.0	-2.2	-3.0	-2.2	-2.2	-2.8	-2.2	-2.0	-2.0	-1.8	-1.8	-1.8	-1.8	-1.8	-1.2
31-Jan-18	-3.0	-2.2	-3.0	-2.2	-2.2	-2.8	-2.2	-2.0	-2.0	-1.8	-1.8	-1.8	-1.8	-1.8	-1.2
7-Feb-18	-3.5	-2.5	-3.5	-2.5	-3.2	-3.0	-2.5	-2.5	-2.5	-3.2	-2.5	-2.5	-2.5	-2.5	-1.5
14-Feb-18	-3.5	-2.5	-3.5	-2.5	-3.2	-3.0	-2.5	-2.5	-2.5	-3.2	-2.5	-2.5	-2.5	-2.5	-1.5
21-Feb-18	-3.5	-2.5	-3.5	-2.5	-3.2	-3.0	-2.5	-2.5	-2.5	-3.2	-2.5	-2.5	-2.5	-2.5	-1.5
28-Feb-18	-3.2	-2.5	-3.2	-2.5	-4.0	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
7-Mar-18	-3.2	-2.5	-3.2	-2.5	-4.2	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
14-Mar-18	-3.2	-2.5	-3.2	-2.5	-4.2	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
21-Mar-18	-3.2	-2.5	-3.2	-2.5	-4.7	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
28-Mar-18	-3.2	-2.5	-3.2	-2.5	-4.7	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
4-Apr-18	-3.2	-2.5	-3.2	-2.5	-4.7	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
11-Apr-18	-3.2	-2.5	-3.2	-2.5	-4.7	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
18-Apr-18	-3.2	-2.5	-3.2	-2.5	-4.7	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
25-Apr-18	-3.2	-2.5	-3.2	-2.5	-4.7	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
2-May-18	-3.2	-2.5	-3.2	-2.5	-3.5	-3.5	-2.5	-2.5	-2.5	-2.8	-2.5	-2.5	-2.5	-2.5	-1.5
9-May-18	-3.2	-2.5	-3.2	-2.5	-1.2	-3.5	-2.5	-2.5	-2.5	-1.2	-0.5	-1.2	-1.2	-1.2	0.0
16-May-18	-3.2	-2.5	-3.2	-2.5	-1										




2016-2017




Frost Depth as of 2016 May 25



14	14	4	14	14	14	14	5	5	5	5	15	15	15	5	15	15	15	5	5	15	15	15	5	15	15	15
----	----	---	----	----	----	----	---	---	---	---	----	----	----	---	----	----	----	---	---	----	----	----	---	----	----	----



Frost Depth 2013-2014



Frost Depth

